COMMUNITY HEALTH & EDUCATION DIVISION
FEE SCHEDULE
Proposed - FY 23-24

Serial Number	CPT Code	CPTTitle	22/23 Approved Fees	23/24 Proposed Fees
		Administration COVID-19 vaccine, vector-nr, rS-Ad26, PF, 0.5 mL		
	0031A	first dose	37.85	37.85
	90473	Administration of 1 nasal or oral vaccine	20	20
3	90471	Administration of 1 vaccine	20	20
4	G0010	Administration of hepatitis b vaccine	20	20
	G0008	Administration of influenza virus vaccine	20	20
	90474	Administration of nasal or oral vaccine	20	20
7	G0009	Administration of pneumococcal vaccine	20	20
8	90472	Administration of vaccine	20	20
9	S0612	Annual gynecological examination, established patient	150	150
		Automated or semi-automated visual function screening of both		
10	99172	eyes	10	10
11	Q0144	Azithromycin dihydrate, oral, capsules/powder, 1 gram	0	C
12	83986	Body fluid pH level	3	3
13	46900	Chemical destruction of anal growths	365	365
14	54050	Chemical destruction of growths of penis	200	200
15	S4993	Contraceptive pills for birth control	20	20
16	A4267	Contraceptive supply, condom, male, each	0.3	0.3
17	J7303	Contraceptive supply, hormone containing vaginal ring, each	30	30
18	A4269	Contraceptive supply, spermicide (e.g., foam, gel), each	10	10
19	99195	Court Ordered Testing	170	170
20	56515	Destruction of extensive growths of external female genitals	335	335
21	56501	Destruction of external female genital growths	155	155
22	54065	Destruction of multiple penile growths	325	325
23	87273	Detection test for herpes simplex virus type 2	15	15
	87800	Detection test for multiple organisms	0	C
25	87808	Detection test for Trichomonas vaginal (genital parasite)	16	16
26	87661	Detection test for Trichomonas vaginalis (genital parasite)	11.5	11.5
		Established patient office or other outpatient visit, typically 10		
27	99212	minutes	60	60
		Established patient office or other outpatient visit, typically 15		
28	99213	minutes	105	105
		Established patient office or other outpatient visit, typically 5		
29	99211	minutes	28	28
		Established patient office or other outpatient, visit typically 25		
30	99214	minutes	150	150
		Established patient periodic preventive medicine examination age		
31	99395	18-39 years	170	170
		Established patient periodic preventive medicine examination age		
32	99396	40-64 years	185	185
		Established patient periodic preventive medicine examination, age		
33	99394	12 through 17 years	165	165
		Established patient periodic preventive medicine examination, age		
34	99393	5 through 11 years	140	140
		Established patient periodic preventive medicine examination, age		
35	99397	65 years and older	195	195
		Etonogestrel (contraceptive) implant system, including implant and		
36	J7307	supplies	850	850
37	V5008	Hearing screening	10	10
		Immunization administration by intramuscular injection of severe		
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, DNA, spike protein,		
		adenovirus type 26 (Ad26) vector, preservative free, 5×1010 viral		
38	0034A	particles/0.5 mL dosage; booster dose	37.85	37.85

		Immunization administration by intramuscular injection of severe		
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent		
		spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent		
39	0154A	reconstituted, tris-sucrose formulation, booster dose	37.85	37.85
		Immunization administration by intramuscular injection of severe		
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent		
		spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent		
40	0151A	reconstituted, tris-sucrose formulation; single dose	37.85	37.85
		Immunization administration by intramuscular injection of severe		
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent		
		spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent		
41	0173A	reconstituted, tris-sucrose formulation, third dose	37.85	37.85
		Immunization administration by intramuscular injection of severe		
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent		
		spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent		
42	0171A	reconstituted, tris-sucrose formulation; first dose	37.85	37.85
		Immunization administration by intramuscular injection of severe		
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent		
		spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent		
43	0172A	reconstituted, tris-sucrose formulation; second dose	37.85	37.85
		Immunization administration by intramuscular injection of severe		
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent		
		spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-		
44	0124A	sucrose formulation, booster dose	37.85	37.85
	012.0.1	Immunization administration by intramuscular injection of severe	07100	07.00
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent		
		spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-		
45	0121A	sucrose formulation; single dose	37.85	37.85
	01217	Immunization administration by intramuscular injection of severe	57.05	57.05
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike		
10	01644	protein, bivalent, preservative free, 10 mcg/0.2 mL dosage, booster	27.05	27.05
46	0164A	dose	37.85	37.85
		Immunization administration by intramuscular injection of severe		
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike		
	·	protein, bivalent, preservative free, 25 mcg/0.25 mL dosage; first		
47	0141A	dose	37.85	37.85
		Immunization administration by intramuscular injection of severe		
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike		
		protein, bivalent, preservative free, 25 mcg/0.25 mL dosage;		
48	0142A	second dose	37.85	37.85
T		Immunization administration by intramuscular injection of severe	Γ	
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike		
		protein, bivalent, preservative free, 50 mcg/0.5 mL dosage, booster		
49	0134A	dose	37.85	37.85
		Immunization administration by intramuscular injection of severe		
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, mRN-LNP, spike protein,		
50	0144A	bivalent, preservative free, 25 mcg/0.25 mL dosage, booster dose	37.85	37.85
			07.00	27.05

		Immunization administration by intramuscular injection of severe		
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, recombinant spike		
		protein nanoparticle, saponin-based adjuvant, preservative free, 5		
51	0041A	mcg/0.5mL dosage; first dose	37.85	37.85
51	00417	Immunization administration by intramuscular injection of severe	57.05	57.05
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
		(coronavirus disease [COVID-19]) vaccine, recombinant spike		
		protein nanoparticle, saponin-based adjuvant, preservative free, 5		
52	0042A	mcg/0.5mL dosage; second dose	37.85	37.85
		Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative		
53	90686	free, 0.5 mL dosage, for intramuscular use	0	0
54	99385	Initial new patient preventive medicine evaluation age 18-39 years	185	185
	00200	Initial new patient annuantius medicine evolution and 40 C4 years	215	245
55	99386	Initial new patient preventive medicine evaluation age 40-64 years	215	215
		Initial new patient preventive medicine evaluation, age 12 through		
56	99384	17 years	190	190
		Initial new patient preventive medicine evaluation, age 5 through		
57	99383	11 years	160	160
		Initial new patient preventive medicine evaluation, age 65 years		
58	99387	and older	225	225
		Initial preventive physical examination; face-to-face visit, services		
		limited to new beneficiary during the first 12 months of medicare		
50	G0402	enrollment	305	305
55	00402	Injection beneath the skin or into muscle for therapy, diagnosis, or	505	505
60	06272		25	25
	96372	prevention	35	35
	J0696	Injection, ceftriaxone sodium, per 250 mg	0	0
	J1050	Injection, medroxyprogesterone acetate, 1 mg	0.48	0.48
63	11981	Insertion of drug implant, non-biodegradable	200	200
64	36415	Insertion of needle into vein for collection of blood sample	30	30
65	J7300	Intrauterine copper contraceptive	485	485
66	S9443	Lactation classes, non-physician provider, per session	55	55
67	83655	Lead level	15	15
		Levonorgestrel-releasing intrauterine contraceptive system, 52 mg,		
68	J7298	5 year duration	670	670
	57250	Meningococcal conjugate vaccine, serogroups A, C, W, Y,	0.0	
60	90619	quadrivalent, tetanus toxoid carrier (MenACWY-TT), for IM use	153	152
09	90019	Meningococcal recombinant protein and outer membrane vesicle	155	153
		с .		
		vaccine, serogroup B (MenB), 2 dose schedule, for intramuscular		
	90620	use	196	196
	99201	New patient office or other outpatient visit, typically 10 minutes	75	75
72	99202	New patient office or other outpatient visit, typically 20 minutes	115	115
73	99203	New patient office or other outpatient visit, typically 30 minutes	160	160
74	0044A	Novavax Covid-19 Vaccine, Adjuvanted Administration - Booster	37.85	37.85
75	D0191	Oral Assessment of Patient	25	25
	D0190	Oral Screening of Patient	15	15
	0174A	Pfizer-BioNTech Covid-19 Bivalent Booster	37.85	37.85
	58300	Placement of intra-uterine device (IUD) for pregnancy prevention	100	100
,0	50500	Pneumococcal conjugate vaccine, 20 valent (PCV20), for	100	100
79	90677	intramuscular use	0	0
	90670	Pneumococcal vaccine for injection into muscle	297	297
		Prescription drug, oral, non chemotherapeutic, nos	0	0
81		have a second counceling approximately 1 - minutes	55	55
81 82	99401	Preventive medicine counseling, approximately 15 minutes		
81 82 83	99401 99402	Preventive medicine counseling, approximately 30 minutes	135	
81 82 83	99401			
81 82 83 84	99401 99402	Preventive medicine counseling, approximately 30 minutes	135	150
81 82 83 84 85	99401 99402 99403	Preventive medicine counseling, approximately 30 minutes Preventive medicine counseling, approximately 45 minutes	135 150	150 171
81 82 83 84 85 86	99401 99402 99403 99404	Preventive medicine counseling, approximately 30 minutes Preventive medicine counseling, approximately 45 minutes Preventive medicine counseling, approximately 60 minutes Puncture of skin for collection of blood sample	135 150 171	150 171 10
81 82 83 84 85 86	99401 99402 99403 99404 36416	Preventive medicine counseling, approximately 30 minutes Preventive medicine counseling, approximately 45 minutes Preventive medicine counseling, approximately 60 minutes	135 150 171 10	135 150 171 10 225

	Removal of growth (0.6 to 1.0 centimeters) of the scalp, neck,		
11421		150	150
			135
11983		321	321
Q0091		15	15
	(coronavirus disease [COVID-19]) vaccine, DNA, spike protein,		
	adenovirus type 26 (Ad26) vector, preservative free, 5x1010 viral		
91303	particles/0.5mL dosage, for intramuscular use	0	0
	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
	(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent		
	spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent		
91315	reconstituted, tris-sucrose formulation, for intramuscular use	0	0
	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
	(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent		
	spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent		
91317	reconstituted, tris-sucrose formulation, for intramuscular use	0	0
	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
	(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent		
	spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-		
91312	sucrose formulation, for intramuscular use	0	0
91314	intramuscular use	о	0
	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)		
91313		о	C
			-
91304		о	C
		20	20
		-	-
90611		о	C
		-	-
90611		о	C
87210		13	13
		30	30
			10
		-	-
90698		Market+10%	Market+10%
90700		Market+10%	Market+10%
90633		Market+10%	Market+10%
			Market+10%
50052	Vaccine for Hepatitis B (3 dose schedule) for injection into muscle,	10/10	Warket 10/
90744	pediatric and adolescent patients	Market+10%	Market+10%
		Market: 1070	Market 10/
	Vaccine for Henatitis B adult dosage (2 dose schedule) injection		
	Vaccine for Hepatitis B adult dosage (2 dose schedule) injection	Market+10%	Market+10%
90739	into muscle	Market+10%	Market+10%
90739	into muscle Vaccine for Hepatitis B adult dosage (3 dose schedule) injection		
	into muscle Vaccine for Hepatitis B adult dosage (3 dose schedule) injection into muscle	Market+10% Market+10%	
90739 90746	into muscle Vaccine for Hepatitis B adult dosage (3 dose schedule) injection into muscle Vaccine for human papilloma virus (3 dose schedule) injection into	Market+10%	Market+10%
90739	into muscle Vaccine for Hepatitis B adult dosage (3 dose schedule) injection into muscle		Market+10% Market+10% Market+10%
	Q0091 91303 91315 91317 91317 91314 91314 91314 91314 91304 86580 90611 90611	11421 hands, feet, or genitals 58301 Removal of intra-uterine device (IUD) for pregnancy prevention 11983 Removal with reinsertion of drug delivery implant into tissue 5creening papanicolaou smear, obtaining, preparing and Q0091 conveyance of cervical or vaginal smear to laboratory Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent 91303 particles/0.5mL dosage, for intramuscular use Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent 91315 reconstituted, tris-sucrose formulation, for intramuscular use 91317 reconstituted, tris-sucrose formulation, for intramuscular use 91317 reconstituted, tris-sucrose formulation, for intramuscular use 91312 sucrose formulation, for intramuscular use 91312 sucrose formulation, for intramuscular use 91312 severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 25 mcg/0.25 mL dosage, for 91314 intramuscular use Severe ac	11421 hands, feet, or genitals 150 58301 Removal of intra-uterine device (IUD) for pregnancy prevention 135 11983 Removal with reinsertion of furg delivery implant into tissue 321 00091 conveyance of cervical or vaginal smear to laboratory 15 severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, RNA-LNP, bivenotein, adenovirus type 26 (Ad26) vector, preservative free, 5x1010 viral 9 91303 particles/0.5mit dosage, for intramuscular use 0 0 Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, RNA-LNP, bivalent spike protein, preservative free, 10 mcg/0.2 mt. dosage, diluent 0 91315 reconstituted, tris-succose formulation, for intramuscular use 0 91317 reconstituted, tris-succose formulation, for intramuscular use 0 91317 reconstituted, tris-succose formulation, for intramuscular use 0 91312 succose formulation, for intramuscular use 0 91312 succose formulation, for intramuscular use 0 91312 succose formulation, for intramuscular use 0 91312 sucrose formulation, for intramuscular use 0

115	90662	Vaccine for influenza for injection into muscle	Market+10%	Market+10%
116	90672	Vaccine for influenza for nasal administration	Market+10%	Market+10%
		Vaccine for measles, mumps, and rubella (German measles)		
117	90707	injection beneath skin	Market+10%	Market+10%
118	90734	Vaccine for meningococcus injection into muscle	Market+10%	Market+10%
		Vaccine for pneumococcal polysaccharide for injection beneath the		
119	90732	skin or into muscle, patient 2 years or older	Market+10%	Market+10%
120	90713	Vaccine for polio injection beneath the skin or into muscle	Market+10%	Market+10%
121	90675	Vaccine for rabies injection into muscle	Market+10%	Market+10%
122	90681	Vaccine for Rotavirus (2 dose schedule) for oral administration	Market+10%	Market+10%
123	90736	Vaccine for shingles injection beneath skin	Market+10%	Market+10%
		Vaccine for tetanus and diphtheria toxoids injection into muscle,		
124	90714	patient 7 years or older	Market+10%	Market+10%
		Vaccine for tetanus, diphtheria toxoids and acellular pertussis		
		(whooping cough) for injection into muscle, patient 7 years or		
125	90715	older	Market+10%	Market+10%
126	90716	Vaccine for varicella (chicken pox) injection beneath skin	Market+10%	Market+10%
127	82120	Vaginal fluid chemical analysis for bacteria	6	6
		Zoster (shingles) vaccine (HZV), recombinant, sub-unit, adjuvanted,		
128	90750	for intramuscular use	Market+10%	Market+10%